

ChromoBio® ENTEROCOCCUS AGAR

A selective and differential chromogenic medium for the enumeration of enterococci.

Dehydrated media	
Code number:	500 g: CEA20500, 5 kg: CEA25000
Colour:	Yellowish
Appearance:	Homogeneous hygroscopic powder
pH before autoclaving (25 °C):	6,8 – 7,2

Direction: Suspend **42 g** in one litre of distilled water and heat with frequent agitation until the medium boils well. Sterilise by autoclaving at 115 °C for 15 minutes.

Warning!

The medium is heat sensitive.
No further sterilisation is necessary or desirable.

Prepared media	
Bottled media:	100 ml: CEA30100, 500 ml: CEA30500
Plated media:	55 mm: CEA50055, 90 mm: CEA50090
Colour:	Yellowish
pH (25 °C):	6,9 – 7,1

Direction: Dispense the melted bottled media aseptically into sterile Petri-dishes. Media in Petri-dishes are ready to use.

FORMULA in g/l

Peptones	20
Chromogenic substrate	3
TWEEN 80	1
Buffers	5
Agar	13

Note: The typical formula can be adjusted to obtain optimal performance.

Storage conditions: Store the dehydrated media tightly closed in a dry place at room temperature. Store the bottled media protected from light at room temperature. Store the plated media protected from light at 2-8 °C. Use before the expiry date on the label.

Quality control:

Test strains	Incubation temp: 37 °C	Growth	Incubation time: 48 h
<i>Enterococcus faecalis</i>	ATCC 29212	Good, blue colonies	
<i>Escherichia coli</i>	ATCC 25922	Inhibited	
<i>Pseudomonas aeruginosa</i>	ATCC 27853	Inhibited	
<i>Staphylococcus aureus</i>	ATCC 29213	Inhibited	

In vitro diagnostic – for professional use only!